

The project is the property of Hitachi Energy India Limited. All rights reserved in the event of a patent, utility model or design. Copyright © 2023 Hitachi Energy. All rights reserved.

CUSTOMER : ASSAM ELECTRICITY GRID CORPORATION LTD
CONTRACTOR : TECHNO ELECTRIC & ENGINEERING COMPANY LIMITED
CUSTOMER REF. PO.NO : 0816SN/24-25/43841 DTD:27-FEB-2025

HE REF.NO : 128840
SUBSTATION : 400/220KV GIS SONAPUR
EQUIPMENT : 220KV LINE CONTROL & RELAY PANEL (WITH LINE DISTANCE)
DRAWING REF. : General Arrangement : 1KHF128840R1113
Schematic Drawings : 1KHF128840R1113
Bill of Material : 1KHY128840R1113,14

SL.No	BAY REF.	PANEL REF.	BAY DESCRIPTION
01	208	D05AA, D05AB	220KV SARUSAJAI -II LINE
02	209	D06AA, D06AB	220KV SARUSAJAI -I LINE

AUX. VOLTAGE : 220V DC

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibility of the performance particulars nor the conformity of the supplies with the Indian Electricity laws / IEC specifications as may be applicable nor does limit the AEGCL's right under the contract.

Checked By AM (P&D)	Checked By DM (P&D)	Checked By AGM (P&D)	Checked By DGM (P&D)	Checked By GM (P&D)
—	\$	3	3	2

Based on					14.08.2025		PRAJWAL		Title 220KV CONTROL & RELAY PANEL		Doc. kind. Circuit diagram		Rel.Des.		=2R			
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK	Approved	14.08.2025	THEJASWINI AR		220KV LINE CRP		Title page		Resp. dept. PG-GAS		Rev. ind. 02		Language en		
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK	Project	ASSAM ELECTRICITY GRID CORPORATION LTD		400/220KV GIS SONAPUR		HITACHI		Hitachi Energy India Limited		Doc. no. 1KHF128840R1113		Sheet 1		No.sheets 121	
Revision note		Date	Name	1 MYN691003-102(A3)REV01														



PAGE NUMBER INDEX

APPROVED, subject to the condition that the approval conveyed herein neither releases the contractor of his contractual obligations and his responsibilities, design details, performance standards and quality of the supplies with the Indian Contract Act / IEC specifications as may be applicable nor does limit the AECG's right under the contract.



Based on		Prepared	14.08.2025	PRAJWAL	Title	220KV CONTROL & RELAY PANEL	Doc. kind.	Circuit diagram	Rel.Des.	=2R
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK	Approved	14.08.2025	THEJASWINI AR	220KV LINE CRP	DCC EFS		
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK				PAGE NUMBER INDEX	PG-GAS	Rev. ind.	02
				Project	ASSAM ELECTRICITY GRID CORPORATION LTD		Resp. dept.		Language	en
					400/220KV GIS SONAPUR				Sheet	2
					128840				n. sheet	3
						HITACHI		Doc. no.		1KHFI28840R1113
						Hitachi Energy India Limited				

[illegible]

Rev.

Revision note

01

AS PER CUSTOMER COMMENTS

Date

10.10.2025

PK

Name

Rev.

Revision note

02

AS PER CUSTOMER COMMENTS

Date

19.11.2025

PK

Name

Project

ASSAM ELECTRICITY GRID CORPORATION LTD

Approved

14.08.2025

THEJASWINI AR

Prepared

14.08.2025

PRAJWAL

Doc. no.

128840

400/220kV GIS SONAPUR

128840

Hitachi Energy India Limited

HITACHI

Doc. no.

1KHF128840R1113

PG-GAS

Rev. ind.

02

Language

en

Sheet

21

n. sheet

22

Doc. kind.

Assembly drawing

Ref.Des.

=2R

220kV CONTROL & RELAY PANEL

220kV LINE CRP

Front view

Front view with door

800

2250

SR NO

HITACHI

Front view with door

800

2250

SR NO

HITACHI

Rear View

800

2250

HITACHI

Rear View

800

2250

HITACHI

Approved, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities, design details, performance parameters and conformity of the supplies with the Indian Statutory laws / IEC specifications as may be applicable, nor does limit the AEGCL's right under the contract.

Checked By

AM (P&D)

Checked By

DM (P&D)

Checked By

AGM (P&D)

Checked By

DGM (P&D)

Approved By

GM (P&D)

Approved

14.08.2025

THEJASWINI AR

Prepared

14.08.2025


PRAJWAL

Based on		Revision note		Date	Name
01	AS PER CUSTOMER COMMENTS	PK	10.10.2025		
02	AS PER CUSTOMER COMMENTS	PK	19.11.2025		


PRAJWAL		14.08.2025	Prepared	Title 220kV CONTROL & RELAY PANEL	
THEJASWINI AR		14.08.2025	Approved	Section view incl. location designation	
400/220kV GIS SONAPUR				Hitachi Energy India Limited	
128840				Doc. no. 1KHF128840R1113	
				Rev. ind. 02	
				Language en	
				Sheet 22	
				n. sheet 23	

Note : All Dimensions are in mm
Base frame Dimension is 800mm(W)x770mm(D)

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities design details, performance parameters and conformity of the supplies with the Indian Statutory laws / IEC specifications as may be applicable, nor does limit the AEGCL's right under the contract.



Cross sectional view




Foundation Details


Checked By AM (P&D)	Checked By DM (P&D)	Checked By AGM (P&D)	Checked By DGM (P&D)	Approved By GM (P&D)

Front
Front






+E Front view hinged frame



+F Side view hinged frame



+D Back view hinged frame

REF: SAS ARCHITECTURE FOR ETH SWITCH LOCATION

Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK
03	AS PER CUSTOMER COMMENTS	14.08.2025	PK
04	AS PER CUSTOMER COMMENTS	14.08.2025	PK
05	AS PER CUSTOMER COMMENTS	14.08.2025	PK
06	AS PER CUSTOMER COMMENTS	14.08.2025	PK
07	AS PER CUSTOMER COMMENTS	14.08.2025	PK
08	AS PER CUSTOMER COMMENTS	14.08.2025	PK
09	AS PER CUSTOMER COMMENTS	14.08.2025	PK
10	AS PER CUSTOMER COMMENTS	14.08.2025	PK
11	AS PER CUSTOMER COMMENTS	14.08.2025	PK
12	AS PER CUSTOMER COMMENTS	14.08.2025	PK
13	AS PER CUSTOMER COMMENTS	14.08.2025	PK
14	AS PER CUSTOMER COMMENTS	14.08.2025	PK
15	AS PER CUSTOMER COMMENTS	14.08.2025	PK
16	AS PER CUSTOMER COMMENTS	14.08.2025	PK
17	AS PER CUSTOMER COMMENTS	14.08.2025	PK
18	AS PER CUSTOMER COMMENTS	14.08.2025	PK
19	AS PER CUSTOMER COMMENTS	14.08.2025	PK
20	AS PER CUSTOMER COMMENTS	14.08.2025	PK
21	AS PER CUSTOMER COMMENTS	14.08.2025	PK
22	AS PER CUSTOMER COMMENTS	14.08.2025	PK
23	AS PER CUSTOMER COMMENTS	14.08.2025	PK
24	AS PER CUSTOMER COMMENTS	14.08.2025	PK
25	AS PER CUSTOMER COMMENTS	14.08.2025	PK


Checked By AM (P&D)	Checked By DM (P&D)	Checked By AGM (P&D)	Checked By DCM (P&D)	Approved By GM (P&D)
1	1	1	1	1

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations, nor his responsibility for the performance of his contract. The contractor shall be responsible for the accuracy and completeness of the information provided to the user. The user shall be responsible for the accuracy and completeness of the information provided to the user.


Prepared	14.08.2025	PRAJWAL
Approved	14.08.2025	THEJASWINI AR
Project	ASSAM ELECTRICITY GRID CORPORATION LTD	
	400/220KV GIS SONAPUR	
	128840	

220kV CON
220kV LINE
inside view

Doc. no.	1KHF128840R1113	Doc. kind.	Assembly drawing	RefDes.	=2R
Resp. dept.	PG-GAS	DCC	ELU		
Rev. ind.	02				
Language	en				
Sheet	25				
n. sheet	26				



APPROVED, subject to the condition that the approval conveyed herein neither releases the contractor of his contractual obligations, nor the responsibilities design details, drawings and the responsibility of the particular parts and/or conformity of the supplies with the Indian Standards / IEC specifications as may be applicable and does limit the AEGCL's right under the contract.



Plane: A			
Device name	Description (1)	Description (2)	Type designation
-ACMCB	AC MCB	--	-
-HS	HEATER SWITCH	--	
-TH	Thermostat	--	TH

Plane: B			
Device name	Description (1)	Description (2)	Type designation
-1MCB01	I/C DC-1 MCB	--	-
-1MCB02	86A TRIP RLY. MCB	--	-
-1MCB03	RED670 M-1 RLY. MCB	--	-
-1MCB04	BCU MCB	--	-
-1MCB08	ETH. SW. MCB	--	-
-1MCB09	ETH SW MCB	--	-
-2MCB01	I/C DC-2 MCB	--	-
-2MCB08	ETH SW MCB	--	-
-HT	Heating	--	SPHT
-LED	Lamp	--	LED
-LMCB01	LCC DC-1 MCB	--	-
-LMCB02	LCC DC-2 MCB	--	-

Plane: D			
Device name	Description (1)	Description (2)	Type designation
-D01.01	Ethernet switch	Power supply module	-
-D19.01	CB CONTROL SWITCH	20-3-pos. contacts with 0 position	--
-D19.02	86A RESET PB	-	--
-D19.03	CARRIER SEL. SW-1	12-2-pos. contacts	--
-D23.101.101	86A TRIP RELAY	RXMOV4	--
-D23.113.101	86A TRIP RELAY SUPVN. (95/86A)	TSR-B	--
-D23.119.101	TC-1_RPH SUPERVISION	RXIM1	--


Device name	Description (1)	Description (2)	Type designation
-D23.119.301	TC-2_RPH SUPERVISION		RXIM1
-D23.125.101	TC-1_YPH SUPERVISION		RXIM1
-D23.125.301	TC-2_YPH SUPERVISION		RXIM1
-D23.131.101	TC-1_BPH SUPERVISION		RXIM1
-D23.131.301	TC-2_BPH SUPERVISION		RXIM1
-D23.137.101	186 R1		RXME18
-D23.137.301	186 R2		RXMS1
-D23.143.101	186 Y1		RXME18
-D23.143.301	186 Y2		RXMS1
-D23.149.101	186 B1		RXME18
-D23.149.301	186 B2		RXMS1
-D28.101.101	DC-1 CO RELAY		RXMH2
-D28.101.301	INCOMER DC-1 SUPVN. (80A)		TSR-B
-D28.113.101	DC-2 CO RELAY		RXMH2
-D28.113.301	INCOMER DC-2 SUPVN. (80B)		TSR-B
-D28.125.301	BUS-1 PT SEL. RLY. (75A)		RXMOVF 21
-D28.137.301	BUS-2 PT SEL. RLY. (75B)		RXMOVF 21
-D28.143.101	BCU/TNC TRIP CMD	CB MANUAL CLOSE	RXMM1
-D28.149.101	DT RECEIVE-CH1		RXMS1
-D28.149.301	LINE CVT SEL RLY(75EF)		RXMOVF 21
-D28.155.101	AC SUPVN		RXMA1
-D38.01	TS-REL670		DAV
-D38.02	TS2-REL670		DAV
-D41.01	TS-REC670		DAV
-D41.02	TS-BCU		DAV
-FN1	MAIN-1 LINE DIST.PROTN. RLY-REL670		TRM

Checked By AM (P&D)	Checked By DM (P&U)	Checked By ASM (P&D)	Checked By DGM (P&D)	Approved By GM (P&D)


APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities, nor does it constitute an acceptance of the contractor's specifications as may be applicable nor does it constitute an acceptance of the contractor's right under the contract.

Title: 220kV CONTROL & RELAY PANEL		Doc. kind: Assembly drawing	Ref.Des. =2R+AA
Legend list		DCC ELU	
Legend list		PG-GAS	
Hitachi Energy India Limited		Rev. Ind. 02	Language en
1KHFI28840R1113		Sheet 26	n. sheet 27
128840		400/220kV GIS SONAPUR	
THEJASWINI AR		Approved 14.08.2025	
ASSAM ELECTRICITY GRID CORPORATION LTD		Project	
PRAJWAL		Prepared 14.08.2025	
Revision note		Date	Name
01 AS PER CUSTOMER COMMENTS		10.10.2025	PK
02 AS PER CUSTOMER COMMENTS		19.11.2025	PK
Rev.		Revision note	
1MNYN691003-102(A3)REV01			






+E Front view hinged frame



+F Side view hinged frame



+D Back view hinged frame



* Note Cut Out to
Conform to approved
note.

Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK
03	AS PER CUSTOMER COMMENTS	19.11.2025	PK
04	AS PER CUSTOMER COMMENTS	19.11.2025	PK
05	AS PER CUSTOMER COMMENTS	19.11.2025	PK
06	AS PER CUSTOMER COMMENTS	19.11.2025	PK
07	AS PER CUSTOMER COMMENTS	19.11.2025	PK
08	AS PER CUSTOMER COMMENTS	19.11.2025	PK
09	AS PER CUSTOMER COMMENTS	19.11.2025	PK
10	AS PER CUSTOMER COMMENTS	19.11.2025	PK
11	AS PER CUSTOMER COMMENTS	19.11.2025	PK
12	AS PER CUSTOMER COMMENTS	19.11.2025	PK
13	AS PER CUSTOMER COMMENTS	19.11.2025	PK
14	AS PER CUSTOMER COMMENTS	19.11.2025	PK
15	AS PER CUSTOMER COMMENTS	19.11.2025	PK
16	AS PER CUSTOMER COMMENTS	19.11.2025	PK
17	AS PER CUSTOMER COMMENTS	19.11.2025	PK
18	AS PER CUSTOMER COMMENTS	19.11.2025	PK
19	AS PER CUSTOMER COMMENTS	19.11.2025	PK
20	AS PER CUSTOMER COMMENTS	19.11.2025	PK
21	AS PER CUSTOMER COMMENTS	19.11.2025	PK
22	AS PER CUSTOMER COMMENTS	19.11.2025	PK
23	AS PER CUSTOMER COMMENTS	19.11.2025	PK
24	AS PER CUSTOMER COMMENTS	19.11.2025	PK
25	AS PER CUSTOMER COMMENTS	19.11.2025	PK
26	AS PER CUSTOMER COMMENTS	19.11.2025	PK
27	AS PER CUSTOMER COMMENTS	19.11.2025	PK
28	AS PER CUSTOMER COMMENTS	19.11.2025	PK
29	AS PER CUSTOMER COMMENTS	19.11.2025	PK
30	AS PER CUSTOMER COMMENTS	19.11.2025	PK
31	AS PER CUSTOMER COMMENTS	19.11.2025	PK
32	AS PER CUSTOMER COMMENTS	19.11.2025	PK
33	AS PER CUSTOMER COMMENTS	19.11.2025	PK
34	AS PER CUSTOMER COMMENTS	19.11.2025	PK
35	AS PER CUSTOMER COMMENTS	19.11.2025	PK
36	AS PER CUSTOMER COMMENTS	19.11.2025	PK
37	AS PER CUSTOMER COMMENTS	19.11.2025	PK
38	AS PER CUSTOMER COMMENTS	19.11.2025	PK
39	AS PER CUSTOMER COMMENTS	19.11.2025	PK
40	AS PER CUSTOMER COMMENTS	19.11.2025	PK
41	AS PER CUSTOMER COMMENTS	19.11.2025	PK
42	AS PER CUSTOMER COMMENTS	19.11.2025	PK
43	AS PER CUSTOMER COMMENTS	19.11.2025	PK
44	AS PER CUSTOMER COMMENTS	19.11.2025	PK

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and its responsibilities, nor does it constitute an endorsement of the products or services of the contractor. The approval is given under the contract.

Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK




Prepared	14.08.2025	PRAJWAL
Approved	14.08.2025	THEJASWINI AR
Project	400/220kV GIS SONAPUR	ASSAM ELECTRICITY GRID CORPORATION LTD

Doc. no.	128840	Hitachi Energy India Limited
Doc. no.	1KHF128840R1113	

Doc. no.	1KHF128840R1113	Doc. no.	1KHF128840R1113
Doc. no.	1KHF128840R1113	Doc. no.	1KHF128840R1113

Doc. no.	1KHF128840R1113	Doc. no.	1KHF128840R1113
Doc. no.	1KHF128840R1113	Doc. no.	1KHF128840R1113

NOTE: INTERNAL VIEW IS FOR INFORMATION ONLY. (MAY CHANGE DURING MANUFACTURING).



Checked By	AM (P&D)	Checked By	DM (P&D)	Checked By	AGM (P&D)	Checked By	DGM (P&D)	Approved By	GM (P&D)

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities design details, performance particulars and conformity of the supplies with the Indian Statutory laws, IEC specifications as may be applicable nor does limit the AEGCL's right under the contract.

Plane: D			
-D01.01	Device name	Description (1)	Description (2)
-D01.01	Ethernet switch		Power supply module
-D19.01.D19.4	86B RESET PB		-
-D19.02.D19.4	CARRIER SEL. SW-2		12-2-pos. contacts
-D23.101.101	86B TRIP RELAY		RXMV/B4
-D23.113.101	86B TRIP RELAY SUPV.N. (95/86B)		TSR-B
-D23.131.101	286 R2		RXMS1
-D23.131.301	286 R1		RXME18
-D23.137.101	286 Y2		RXMS1
-D23.137.301	286 Y1		RXME18
-D23.143.101	286 B2		RXMS1
-D23.143.301	286 B1		RXME18
-D23.149.101	DT RECEIVE-CH2		RXMS1
-D23.155.101	AC SUPVN		RXMA1
-D28.101.101	UNDER VOLTAGE RELAY		RXEG21
CORE-1			

Plane: B			
-ACMCB	Device name	Description (1)	Description (2)
-ACMCB	AC MCB		-
-HS	HEATER SWITCH		
-PS	Outlet		SW
-TH	Thermostat		TH

Plane: D			
-D19.01.D19.4	Device name	Description (1)	Description (2)
-D19.01.D19.4	86B RESET PB		-
-D19.02.D19.4	CARRIER SEL. SW-2		12-2-pos. contacts
-D23.101.101	86B TRIP RELAY		RXMV/B4
-D23.113.101	86B TRIP RELAY SUPV.N. (95/86B)		TSR-B
-D23.131.101	286 R2		RXMS1
-D23.131.301	286 R1		RXME18
-D23.137.101	286 Y2		RXMS1
-D23.137.301	286 Y1		RXME18
-D23.143.101	286 B2		RXMS1
-D23.143.301	286 B1		RXME18
-D23.149.101	DT RECEIVE-CH2		RXMS1
-D23.155.101	AC SUPVN		RXMA1
-D28.101.101	UNDER VOLTAGE RELAY		RXEG21
CORE-1			

Device name	Description (1)	Description (2)	Type designation
-D28.101.301	UNDER VOLTAGE RELAY	CORE-3	RXEG21
-D28.113.101	UNDER VOLTAGE RELAY	CORE-1	RXEG21
-D28.113.301	LINE CVT CORE-1 FAIL		RXMS1
-D28.119.301	LINE CVT CORE-2 FAIL		RXMS1
-D28.125.101	UNDER VOLTAGE RELAY	CORE-2	RXEG21
-D28.125.301	LINE CVT CORE-3 FAIL		RXMS1
-D28.137.101	UNDER VOLTAGE RELAY	CORE-2	RXEG21
-D28.149.101	UNDER VOLTAGE RELAY	CORE-3	RXEG21
-D39.01	TS1-7SA87		DAV
-D39.02	TS2-7SA87		DAV
-FN2	M-2 DIST. PROTN RLY_7SA87		7SA87 WITH PRP

Checked By AM (P&D)	Checked By DM (P&D)	Checked By AGM (P&D)	Checked By DSM (P&D)	Approved By GM (P&D)
—	✗			

APPROVED, subject to the condition that the approval conveyed herein neither releases the contractor of his contractual obligations and his responsibilities, design delays, performance parameters and conformity of the supplies with the Indian statutory laws / IEC specifications as may be applicable, nor does limit the AEGEL's right under the contract.



Based on		Prepared	14.08.2025	PRAJWAL	Title: 220KV CONTROL & RELAY PANEL	Doc. kind: Assembly drawing	Ref.Des:	=2R	+AB
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK	Approved	14.08.2025	THEJASWINI AR			
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK	Project	ASSAM ELECTRICITY GRID CORPORATION LTD	Legend list	Resp. dept: PG-GAS	Rev. ind: 02	Language: en
Revision note		Date	Name	400/220KV GIS SONAPUR 128840		HITACHI Hitachi Energy India Limited	Doc. no. 1KHF128840R1113	Sheet	30
								n. sheet	31

Rev.		Revision note		Date		Name		128840		400/220kV GIS SONAPUR		HITACHI		Hitachi Energy India Limited		Doc. no.		1KHFI28840R1113		n. sheet		32	
02		AS PER CUSTOMER COMMENTS		19.11.2025		PK		Project		ASSAM ELECTRICITY GRID CORPORATION LTD		PANEL LINE UP		220kV LINE CRP		PG-GAS		Rev. ind.		02		en	
01		AS PER CUSTOMER COMMENTS		10.10.2025		PK		Approved		14.08.2025		THEJASWINI AR		220kV LINE CRP		DCC EFS		Circuit diagram		Ref.Des.		=2R	
Based on		14.08.2025		Prepared		PRAJWAL		Title		220kV CONTROL & RELAY PANEL		Doc. kind.		Circuit diagram		DCC EFS		Language		31		Sheet	
1MYN691003-102(A3)REV01																							

220KV GIS BUILDING

AA

D01AA
BAY-211
220kV LINE

AA

AB

D01AB
BAY-210
220kV LINE

AB

AA

D02AA
BAY-209
220kV LINE

AA

AB

D02AB
BAY-208
220kV LINE

AB

AA

D03AA
BAY-207
220kV LINE

AA

AB

D03AB
BAY-206
220kV LINE

AB

AA

D04AA
BAY-205
220kV LINE

AA

AB

D04AB
BAY-204
220kV LINE

AB

AA

D05AA
BAY-203
220kV LINE

AA

AB

D05AB
BAY-202
220kV LINE

AB

AA

D06AA
BAY-201
220kV LINE

AA

AB

D06AB
BAY-200
220kV LINE

AB

BC

D07BC
BAY-199
220kV LINE

BC

TA

D08TA
BAY-198
220kV LINE

TA

TA

D09TA
BAY-197
220kV LINE

TA

AA

BB2
220kV BUSBAR

BB2

AB

BB1
220kV BUSBAR

BB1

FRONT

FRONT

APPLICABLE BAYS

FUTURE BAYS

NOTE:- PANEL LINE UP TO BE CONFIRMED BY CUSTOMER

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities, design details, performance parameters and conformity of the supplies with the Indian Statutory laws & IEC the AEGCL's right under the contract

Checked By: AM (P&D)

Checked By: DM (P&D)

Checked By: AGM (P&D)

Checked By: DGM (P&D)

Checked By: GM (P&D)



[illegible]

Based on										1MYN691003-102(A3)REV01											
Rev.		Revision note		Date		Name		128840		HITACHI Hitachi Energy India Limited		Doc. no.		1KHFI28840R1113		n. sheet		41			
02		AS PER CUSTOMER COMMENTS		19.11.2025		PK		Project				400/220KV GIS SONAPUR		Resp. depl		PG-GAS		en		33	
01		AS PER CUSTOMER COMMENTS		10.10.2025		PK		Approved		14.08.2025		THEJASWINI AR		220KV LINE CRP		DCC ELU		Ref.Des.		=2R	
								Prepared		14.08.2025		PRAJWAL		220KV CONTROL & RELAY PANEL		Doc. kind.		Assembly drawing			
												PANEL NAME PLATE		Rev. ind.		02		Language			

PANEL NAME PLATE DETAILS

D02AA

220kV LINE

CONTROL & RELAY PANEL

D02AB

220kV LINE

CONTROL & RELAY PANEL

Checked By AM (P&D)	Checked By DM (P&D)	Checked By AGM (P&D)	Checked By DGM (P&D)	Approved By GM (P&D)
—	£			

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities, design details, performance parameters and conformity of the supplies with the Indian Statutory laws / IEC specifications as may be applicable, nor does limit the AEGL's right under the contract.



1MYN691003-102(A3)REV01																
Rev. Revision note																
Date																
Name																
Project ASSAM ELECTRICITY GRID CORPORATION LTD																
400/220KV GIS SONAPUR																
128840																
HITACHI Hitachi Energy India Limited																
Doc. no. 1KHF128840R1113																
n. sheet 42																
Sheet 41																
Language en																
Rev. Ind. 02																
PG-GAS																
DCC EPB																
Parts list																
Doc. kind.																
Title 220KV CONTROL & RELAY PANEL																
Parts list =2R+AA																
Ref.Des.																
Rel.Des.																
=2R+AA																
25,132,165																
25,132																
25,131,165																
25,131																
1KHF128840R1103/405																
25,401																
1KHF128840R1103/405																
25,402																
1KHF128840R1103/405																
25,402																
1KHF128840R1103/405																
25,401																
1KHF128840R1103/405																
25,402																
1KHF128840R1103/405																
25,401																
1KHF128840R1103/405																
25,132,133,141,401																
25,141,401																
25,131,401																
25,131,401																
25,131,401																
25,141																
25,141																
241,268,269,270,271,401																
225,226,227,229,230,231,																
232,233,234,235,236,240,																
25,153,154,155,164,165,224,																
25,141																
25,141																
25,141,235																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																
25,141																

Pos.	Location	Device designation	Device description	Type designation	Technical data	Remark	Article number	Manufacturer	Manufacturer number	Qty.	Document / sheet
19	+B.13	-1MCB03	Miniature circuit breaker	6A	220VDC, 2P, C-curve, Icn-10kA	ABB/Schneider/L&T	-	Siemens	ABB/Schneider/L&T	1	25,132,165
20	+B.13	-1MCB04	Miniature circuit breaker	6A	220VDC, 2P, C-curve, Icn-10kA	ABB/Schneider/L&T	-	Siemens	ABB/Schneider/L&T	1	25,132,165
21	+B.13	-1MCB06	Miniature circuit breaker	10A	220VDC, 2P, C-curve, Icn-10kA	ABB/Schneider/L&T	-	Siemens	ABB/Schneider/L&T	1	25,132,165
22	+B.13	-1MCB08	Miniature circuit breaker	4A	220VDC, 2P, C-curve, Icn-10kA	ABB/Schneider/L&T	-	Siemens	ABB/Schneider/L&T	1	25,133
23	+B.13	-1MCB09	Miniature circuit breaker	4A	220VDC, 2P, C-curve, Icn-10kA	ABB/Schneider/L&T	-	Siemens	ABB/Schneider/L&T	1	25,133
24	+B.13	-LMCB01	Miniature circuit breaker	6A	220VDC, 2P, C-curve, Icn-10kA	ABB/Schneider/L&T	-	Siemens	ABB/Schneider/L&T	1	25,131,165
25	+B.17	-2MCB01	Miniature circuit breaker	16A	220VDC, 2P, C-curve, Icn-10kA	ABB/Schneider/L&T	-	Siemens	ABB/Schneider/L&T	1	25,131
26	+B.17	-2MCB06	Miniature circuit breaker	10A	220VDC, 2P, C-curve, Icn-10kA	ABB/Schneider/L&T	-	Siemens	ABB/Schneider/L&T	1	25,131,236
27	+B.17	-2MCB08	Miniature circuit breaker	4A	220VDC, 2P, C-curve, Icn-10kA	ABB/Schneider/L&T	-	Siemens	ABB/Schneider/L&T	1	25,133
28	+B.17	-2MCB09	Miniature circuit breaker	4A	220VDC, 2P, C-curve, Icn-10kA	ABB/Schneider/L&T	-	Siemens	ABB/Schneider/L&T	1	25,133,236
29	+B.17	-LMCB02	Miniature circuit breaker	6A	220VDC, 2P, C-curve, Icn-10kA	ABB/Schneider/L&T	-	Siemens	ABB/Schneider/L&T	1	25,131
30			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,131
31			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
32			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
33			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
34			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
35			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
36			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
37			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
38			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
39			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
40			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
41			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
42			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
43			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
44			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
45			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
46			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
47			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
48			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
49			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
50			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
51			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
52			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
53			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
54			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
55			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
56			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
57			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
58			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
59			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
60			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
61			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
62			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
63			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
64			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
65			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
66			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
67			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
68			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
69			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
70			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
71			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
72			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
73			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
74			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
75			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
76			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
77			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
78			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
79			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
80			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
81			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
82			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
83			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
84			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
85			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
86			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
87			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
88			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
89			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
90			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
91			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
92			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
93			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
94			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
95			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
96			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
97			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
98			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
99			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236
100			Auxiliary contact block		1CO	Siemens	-	ABB/Schneider/L&T		1	25,132,236

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities design details, performance particulars and conformity of the work with the Indian standard laws / IEC specifications as may be applicable nor does limit the AEGCL's right under the contract.

Checked By AM (P&D)
Checked By DM (P&D)
Checked By AGM (P&D)
Checked By DGM (P&D)
Approved By GM (P&D)



1MYN691003-102(A3)REV01											
Rev. Revision note											
Date											
Name											
14.08.2025											
10.10.2025											
19.11.2025											
PK											
PK											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											
14.08.2025											

Checked By
DM (P&D)

Checked By
AGM (P&D)

Checked By
DGM (P&D)

Approved By
Cmt (P&D)

APPROVED, subject to the condition that the approval conveyed herein neither releases the contractor of his contractual obligations and the responsibility of design, calculations and verifications of the solution with the Indian statutory laws / IEC regulations nor may be applicable nor does that constitute a right under the contract.

Pos.	Location	Device designation	Device description	Type designation	Technical data	Remark	Article number	Manufacturer	Manufacturer number	Qty.	Document / sheet												
48		+C.13	-XX2.1	Feed-through terminal	280-833/CX2.5/4	800V,20A	Polyamide, 0.08-2.5mm ² , 1x4 wire	Wago/Connectwell		13	25,221,242,262,264,270,301,308,401												
49		+C.13	-XX2.2	Feed-through terminal	280-833/CX2.5/4	800V,20A	Polyamide, 0.08-2.5mm ² , 1x4 wire	Wago/Connectwell		23	25,221,224,225,226,227,228,229,230,231,232,233,234,235,236,237,238,239,301,302,401												
50		+C.13	-XXDC1.1	Feed-through terminal	280-833/CX2.5/4	800V,20A	Polyamide, 0.08-2.5mm ² , 1x4 wire	Wago/Connectwell		9	25,132,133,401												
51		+C.13	-XXDC1.2	Feed-through terminal	280-833/CX2.5/4	800V,20A	Polyamide, 0.08-2.5mm ² , 1x4 wire	Wago/Connectwell		9	25,132,133,401												
52		+C.13	-XXDC2.1	Feed-through terminal	280-833/CX2.5/4	800V,20A	Polyamide, 0.08-2.5mm ² , 1x4 wire	Wago/Connectwell		8	25,132,133,401												
53		+C.13	-XXDC2.2	Feed-through terminal	280-833/CX2.5/4	800V,20A	Polyamide, 0.08-2.5mm ² , 1x4 wire	Wago/Connectwell		8	25,132,133,401												
54		+D.01	-D01.01	Ethernet switch	-	-	PLEASE REFER SAS BOM FOR DETAILS		PLEASE REFER SAS BOM FOR DETAILS	1	24,361												
55		+D.05	-FN1	Numerical line distance protection IED	REL670 V2.2 (WITH PRP)	SFP 100Base-FX, LC 90-250VDC 220-250VDC, 50ma BIM BOM TRM 3/4x19" rack casing LED	50/60Hz 16 inputs 24 output relays 6H+6U Normal size	1KHV128840M5221	HITACHI	1KHV128840M5221	1 2 2 1 1 2 56	24,151,158 24,151,158,163 24,153,154,155,156,159 24,157,160,225,261,262,263,264,301,302,303 24,152,158 24 24,151											
56		+D.12	-KF1	Numerical bay control IED	REC670 V2.2 (WITH PRP)	SFP 100Base-FX, LC 90-250VDC 220-250VDC, 50ma BIM BOM TRM 1/1x19" rack casing LED	Version 2.2.7 50/60Hz 16 inputs 24 output relays 6H+6U Normal size	1KHV128840M5212	HITACHI	1KHV128840M5212	1 2 1 8 3 1 1 24	24,221 24,221,242,243 230,231,232,233,234,235,236,237,238,239,244,245,246,247 24,240,241,242,248,249,262,264,265,270,301,302,308 24,222,223,243 24 24,221											
57		+D.19	-D19.01	Rotary Switch	20-3-pos, contacts with 0 position	32A, 660V	Spring return & lost motion device with Pistol grip handle 45 degree Switching	1MYN910008-BAAE	Switron	1MYN910008-BAAE	1	24,228,242,265,301,302,364											
Based on <table><tr><td>Rev.</td><td>Revision note</td><td>Date</td><td>Name</td></tr><tr><td>01</td><td>AS PER CUSTOMER COMMENTS</td><td>10.10.2025</td><td>PK</td></tr><tr><td>02</td><td>AS PER CUSTOMER COMMENTS</td><td>19.11.2025</td><td>PK</td></tr></table> Prepared 14.08.2025 Approved 14.08.2025 Project ASSAM ELECTRICITY GRID CORPORATION LTD 400/220kV GIS SONAPUR 128840 HITACHI Hitachi Energy India Limited Doc. no. 1KHFI28840R1113 Rev. ind. 02 Language en Sheet 44 n. sheet 45 1MYN91003-102(A3)REV01												Rev.	Revision note	Date	Name	01	AS PER CUSTOMER COMMENTS	10.10.2025	PK	02	AS PER CUSTOMER COMMENTS	19.11.2025	PK
Rev.	Revision note	Date	Name																				
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK																				
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK																				

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibility towards the performance of the work nor does it constitute an approval of the design. The approval is given on the basis of the information supplied by the contractor and is not a guarantee of the design. The contractor shall be responsible for the design and shall be liable for any errors or omissions in the design. The approval is given on the basis of the information supplied by the contractor and is not a guarantee of the design. The contractor shall be responsible for the design and shall be liable for any errors or omissions in the design.

Checked By: AM (P&D)	Checked By: DM (P&D)	Checked By: AGM (P&D)	Checked By: DGM (P&D)	Approved By: GM (P&D)

1	2	3	4	5	6	7	8
Pos.	Location	Device designation	Device description	Type designation	Technical data	Remark	Article number
16	-VTMCB01	Miniature circuit breaker	10kA 415VAC, 4P, C-curve, lcn-	-	-	ABB/Schneider/L&T	29,162
17	-VTMCB02	Miniature circuit breaker	10kA 415VAC, 4P, C-curve, lcn-	-	-	ABB/Schneider/L&T	29,170
18	-X04	Feed-through terminal	CSB3/N3UL/KABTM3	800V, 24A	Polyamide, 0.5-2.5mm²	Connectwell/Elmex	29,163,164,165,166,363,403
19	-BBX04	Feed-through terminal	CSB3/N3UL/KABTM3	800V, 24A	Polyamide, 0.5-2.5mm²	Connectwell/Elmex	29,265,270,403
20	-X01.3	Disconnect terminal	CBDT4U/KLTD4	1100V, 41A	Polyamide, 1.5-6mm²	Connectwell/Elmex	29,169,403
21	-X08	Feed-through terminal	CSB3/N3UL/KABTM3	800V, 24A	Polyamide, 0.5-2.5mm²	Connectwell/Elmex	29,170,403
22	-PLCCX04	Feed-through terminal	CSB3/N3UL/KABTM3	800V, 24A	Polyamide, 0.5-2.5mm²	Connectwell/Elmex	29,302,303,304,403
23	-BX01	Disconnect terminal	CBDT4U/KLTD4	1100V, 41A	Polyamide, 1.5-6mm²	Connectwell/Elmex	29,162,403
24	-DX01	Disconnect terminal	CBDT4U/KLTD4	1100V, 41A	Polyamide, 1.5-6mm²	Connectwell/Elmex	29,403
25	-HT	Heating	SPHT	230V AC, 50W		APT	29,141
26	-D01.01	Ethernet switch	-	-		PLEASE REFER SAS BOM	28,362
27	-F-N2	Numerical line distance protection IED	7SAB7 WITH PRP			HITACHI	1KHV128840M5204
	-F-N2 IO202	Binary I/O and transformer module	IO202	24-250VDC	4t+4U, 8 binary inputs, 6 binary outputs	Siemens	28,161,162,164,165,166,167
	-F-N2 IO205-1	Analogue input module	IO205	24-250VDC	12 binary inputs, 16 binary outputs	Siemens	28,161,163,164,167,168,261,262,263,264,301,302,304
	-F-N2 IO205-2	Analogue input module	IO205	24-250VDC	12 binary inputs, 16 binary outputs	Siemens	28,161,164,165,168,225,250
	-F-N2 PS201	Power supply module	PS201	60-250VDC, 115-230VAC, 50/60Hz	3 binary inputs, 3 binary outputs, with communication interface	Siemens	28,153,161,167
28	+D,19	Push button	-	2NO	Green	ABB/L&T/Teknic	28,264,364
29	+D,19	Rotary Switch	12-2-pos. contacts	32A, 660V	Wing knob type stayput with 90 Degree switching angle	Switron	1MYN910010-AAAB
	-D19.02,D19.4						
30	+D,24	High speed trip relay	RXMS1	220VDC	6NO, Variant B	ABB	RK216063-AS
31	+D,24	Bistable relay	RXMB4	220VDC	11NO, 3NC	ABB	1MYN563039-AS
32	+D,24	Trip circuit supervision relay	TSR-B	110/220VDC	2NC, 1NO	ABB	1MYN56939-A
33	+D,24	High speed trip relay	RXMS1	220VDC	6NO, Variant B	ABB	RK216063-AS
34	+D,24	Auxiliary relay	RXME18	220-250VDC	2NO	ABB	RK221-825-AS
Based on							
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK	Approved	14.08.2025	THEJASWINI AR	PRAJWAL
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK	Project	ASSAM ELECTRICITY GRID CORPORATION LTD		
Revision note				400/220KV GIS SONAPUR			
Rev.				128840			
Title				220KV CONTROL & RELAY PANEL			
Doc. no.				HITACHI			
Rev. ind.				PG-GAS			
Rev. ind.				DCC EPB			
Rev. ind.				Parts list			
Rev. ind.				Parts list			
Rev. ind.				Parts list			
Rev. ind.				Parts list			
Rev. ind.				Parts list			
Rev. ind.				Parts list			
Rev. ind.				Parts list			
Rev. ind.				Parts list			
Rev. ind.				Parts list			
Rev. ind.				Parts list			
Rev. ind.				Parts list			
Rev. ind.				Parts list			

Based on										1MYN691003-102(A3)REV01									
Rev.		Revision note		Date		Name		128840		HITACHI		Doc. no.		1KHf128840R1113		n. sheet		102	
02		AS PER CUSTOMER COMMENTS		19.11.2025		PK		400/220kV GIS SONAPUR		Hitachi Energy India Limited		Doc. no.		1KHf128840R1113		Sheet		101	
01		AS PER CUSTOMER COMMENTS		10.10.2025		PK		ASSAM ELECTRICITY GRID CORPORATION LTD		LIST OF SYMBOLS		Resp. dept.		PG-GAS		Rev. ind.		02	
								PRAJWAL		220kV LINE CRP		Doc. kind.		Circuit diagram		Ref.Des.		=2R	
								THEJASWINI AR		220kV LINE CRP		Doc. kind.		Circuit diagram		Ref.Des.		=2R	
								Approved		14.08.2025		THEJASWINI AR		220kV LINE CRP		Doc. kind.		Circuit diagram	
								Prepared		14.08.2025		PRAJWAL		220kV CONTROL & RELAY PANEL		Doc. kind.		Circuit diagram	

TERMINAL BLOCK DESIGNATION FOR EXTERNAL WIRING	
X01.1,X01.2,	CT CIRCUITS
X02.1,X02.2	CVT/PT CIRCUITS
DCX03, ACX03	DC/AC INCOMING CIRCUITS
X04	CONTROL CIRCUITS
X05	INDICATION CIRCUITS
X06	ANNUNCIATION CIRCUITS
X07	SPARE CONTACTS
IVX04	HV INTERFACE CIRCUITS
LCCX321, LCCX201, LCCX501, LCCX503,	LCC CIRCUITS
BBX04	BUSBAR CIRCUIT
TRX04	TRANSFORMER TROUBLE/ RTCC/FIRE FIGHTING
FOTEX04	PLCC CIRCUIT
XX1.1,XX1.2, XX2.1,XX2.2	DC CIRCUITS FOR LOOPING

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations nor the responsibility of any performance guarantee which may be required of the contractor with the intent to ensure compliance with the applicable standards as may be specified in the contract documents. The contractor shall not deem this approval as a release of liability or a release of responsibility for the contractor's obligations under the contract.

FERRULE 'A': CT CIRCUIT- MAIN PROTECTION
 FERRULE 'D': CT CIRCUIT- METERING
 FERRULE 'J': AUXILIARY DC CKTS
 FERRULE 'P': DC CKT- BUSBAR PROTECTION

TERMINAL BLOCK DESIGNATION FOR	
INTERPANEL BUS WIRING	
X11	CT CIRCUITS
1X12.1 1X12.3 2X12.1 2X12.3	CVT CIRCUITS
DCX13, ACX13	DC/AC INCOMING CIRCUITS
X14	CONTROL CIRCUITS
BBX14	BUSBAR CIRCUIT

TERMINAL BLOCKS	
NON DISCONNECTING TB	
DIS CONNECTING TB	
CT/CVT JUNCTION BOX TERMINAL	
BREAKER TERMINAL	
ISOLATOR TERMINAL	
MARSHALLING KIOSK TB	
PLCC/FOTE TERMINALS	
ACDB/DCDB TERMINALS	

SYMBOL LIST	
MCB	
FUSE	
LINK	
RELAY COIL	
RELAY REVERSE FLAG	
RELAY MANUAL RESET FLAG	
PUSH BUTTON ON CONTACT	
NO CONTACT	
NC CONTACT	
EARTH	
SWITCH CONTACT	
LED LAMP	
SPACE HEATER	
DIODE	
RESISTOR	
VARISTOR	

SYMBOL LIST	
BINARY INPUT	
BINARY OUTPUT	
CHANGE OVER OUTPUT	
CT/PT INPUT	
mA INPUT	
POWER SUPPLY INPUT	
FO COMM. PORT	
RS232/485 COMM. PORT	
RJ45 COMM. PORT	
CURRENT TRANSFORMER	
PT	
PT	
CIRCUIT BREAKER	
ISOLATOR	
EARTH SWITCH	
TRANSFORMER	
REACTOR/WAVE TRAP	
LIGHTNING ARRESTOR	
TTB WITH SCREW TYPE TERMINALS	

Checked By: AM (F&D)	Checked By: DM (F&M)	Checked By: AGM (F&D)	Checked By: DGM (F&D)	Approved By: CH (F&D)


Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

Prepared	14.08.2025
Approved	14.08.2025
Project	ASSAM ELECT 400/220KV GIS 128840

PRAJWAL	THEJASWINI AR	RICITY GRID CORPORATION LTD	SONAPUR	HITACHI Hitachi Energy India Limited
Title	220KV CONTROL & RELAY PANEL	220KV LINE CRP	LINE BAY SINGLE LINE DIAGRAM	

Doc. no.	1KHf128840R1113		
Doc. kind.	Circuit diagram	Ref.Des.	
Resp. dept.	PG-GAS	Rev. ind.	
	DCC EFS		


=2R	02	Language	en
		Sheet	102
		n. sheet	103



NOTE: **FUNCTION PROVIDED TO MEET SPECIFICATION REQUIREMENT

Checked By AM (P&D)	Checked By DM (P&D)	Checked By VGM (P&D)	Checked By DGM (P&D)	Approved By GM (P&D)
—	M		N	L

RDRE	96DR	DR
------	------	----



220KV LINE CT DETAILS

Field Type	Reference	Core No.	Application	Current Ratio A/A Class	Burden (VA)	ISF	Knee Point Voltage V _k (V) (≥)	Rct in Ohm (≤)	Magnetizing Current Im (mA)@V _k (≤)
Line Bays & Trafo bays =D01,=D02,=D03, =D04,=D05,=D06, =D08,=D09	-T1	1	Metering	1600-800/1	0.2s	-	1700-850	6-2.5	25-50
		2	Protection	1600-800/1	PX	-	1600-800	8-4	25-50
	-T2	3	Protection	1600-800/1	PX	-	1600-800	8-4	25-50
		1	Protection	1600-800/1	PX	-	1600-800	8-4	25-50
		2	Protection	1600-800/1	PX	-	1600-800	8-4	25-50
		3	Protection	1600-800/1	PX	-	1600-800	8-4	25-50
		3	Protection	1600-800/1	PX	-	1600-800	8-4	25-50

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and nor exempts him from details, quantities and materials specified in the purchase order and the Indian Standards / IEC specifications as may be applicable nor does limit the ASGCL's right under the contract

Checked By AM (P&D)	Checked By DM (P&D)	Checked By AGM (P&D)	Checked By DGM (P&D)	Approved By GM (P&D)
—	—	—	—	—

220KV LINE CVT DETAILS


Rated Voltage Factor : 1.2 X Un continuous and 1.5 X Un for 30 sec							
Bay	Reference Designat.	Winding	Ratio (kv/kv)	Rated output (VA)	Class	Application	Remarks
BBM+BE =(D07)	-T15, -T25	1	220/√3 : 0.11 / √3	50	3P	Protection	Without IID
		2	220/√3 : 0.11 / √3	50	3P	Protection	
		3	220/√3 : 0.11 / √3	50	0.2	Metering	




Based on										Prepared	14.08.2025	PRAJWAL	Title	220KV CONTROL & RELAY PANEL	Doc. kind.	Circuit diagram	Rel.Des.	=2R
01	AS PER CUSTOMER COMMENTS	PK	10.10.2025	Approved	14.08.2025	THEJASWINI AR	220KV LINE CRP	DCC	EFS									
02	AS PER CUSTOMER COMMENTS	PK	19.11.2025	Project	ASSAM ELECTRICITY GRID CORPORATION LTD	220KV LINE CT & PT DETAILS	Resp. dept.	PG-GAS	Rev. ind.	02	Language	en	Sheet	103	n. sheet	104		
Revision note		Date	Name		HITACHI Hitachi Energy India Limited													
					Doc. no. 1KHFI28840R1113													
					128840													

Prepared	14.08.2025	PRAJWAL
Approved	14.08.2025	THEJASWINI AR
Project	ASSAM ELECTRICITY GRID CORPORATION LTD	
	400/220KV GIS SONAPUR	
	128840	

Title 220KV CONTROL & RELAY PANEL		Doc. kind		Circuit diagram	Ref.Des:	=2R
CHK SYNC		Resp. dept.		PG-GAS	Rev. ind.	
220KV LINE CRP		Doc. no.		1KHFF128840R1113	Sheet	
HITACHI		Hitachi Energy India Limited			n. sheet	108



Checked By AM (P&D)	Checked By DM (P&D)	Checked By AGM (P&D)	Checked By DGM (P&D)	Approved By GM (P&D)
—	LT			



Based on		Prepared	14.08.2025	PRAJWAL	Title	220KV CONTROL & RELAY PANEL	Doc. kind	Assembly drawing	Ref.Des.	=2R	
Rev.		Revision note	Date	Name	Project	400/220KV GIS SONAPUR	128840	HITACHI	Hitachi Energy India Limited	Doc. no.	
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK	Approved	14.08.2025	THEJASWINI AR	220KV LINE	PT SEL LOGIC	PG-GAS	Rev. Ind.	02
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK	Project	ASSAM ELECTRICITY GRID CORPORATION LTD	128840				Language	en
										Sheet	108
										n. sheet	109

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities design details, performance parameters and conformity of the supplies with the Indian statutory laws / IEC specifications as may be applicable, nor does limit the AEGCL's right under the contract.


Checked By	AM (P&D)	Checked By	DM (P&D)	Checked By	ACM (P&D)	Checked By	DCM (P&D)	Approved By	GM (P&D)
	—		—		—		—		—




Prepared	14.08.2025	PRAJWAL	Title	220KV CONTROL & RELAY PANEL
Approved	14.08.2025	THEJASWINI AR		220KV LINE CRP
Project	ASSAM ELECTRICITY GRID CORPORATION LTD			AUTO RECLOSE LOGIC
400/220KV GIS SONAPUR			128840	
HITACHI				
Hitachi Energy India Limited				

APPROVED, subject to the condition that the approval conveyed herein neither releases the contractor of his contractual obligations, nor his responsibilities and delays, performance, purchase and conflict of the contract with the Indian statutory laws / IEC specifications as may be applicable, nor does limit the AEGIS right under the contract.

Checked By AM (P&D)	Checked By DM (P&D)	Checked By AGM (P&D)	Checked By OGM (P&D)	Approved By OGM (P&D)
—	FF	ZZ	JK	R



Rev.	Revision note	Date	Name
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
Based on			
14.08.2025			
PRAJWAL			
THEJASWINI AR			
ASSAM ELECTRICITY GRID CORPORATION LTD			
400/220KV GIS SONAPUR			
128840			
Hitachi Energy India Limited			
1KHFI28840R1113			
n. sheet 133			
Sheet 132			
en			
Language			
02			
Rev. ind.			
PG-GAS			
Resp. dept.			
DCC EFS			
Circuit diagram			
Doc. kind.			
220KV CONTROL & RELAY PANEL			
DC DISTRIBUTION CKT SOURCE-1			
220KV LINE CRP			
Ref.Des.			
=2R			




Rev.	Revision note	Date	Name
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK

14.08.2025	14.08.2025	14.08.2025	14.08.2025
Prepared	Approved	Project	400/220kV GIS SONAPUR
PRAJWAL	THEJASWINI AR	ASSAM ELECTRICITY GRID CORPORATION LTD	128840

Doc. no.	1KHF128840R1113	Doc. no.	1KHF128840R1113
Doc. kind	Circuit diagram	Doc. kind	Circuit diagram
Doc. title	220kV CONTROL & RELAY PANEL	Doc. title	220kV CONTROL & RELAY PANEL

Rev. ind.	02	Rev. ind.	02
Language	en	Language	en
Sheet	133	Sheet	133
n. sheet	141	n. sheet	141




APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities, design details, performance particulars and conformity of the supplies with the Indian Statutory laws / IEC specifications as may be applicable, nor does limit the AEGCL's right under the contract.

Checked By	AM (P&D)	Checked By	DM (P&D)	Checked By	AGM (P&D)	Checked By	DGM (P&D)	Checked By	GM (P&D)



Prepared	14.08.2025	PRAJWAL
Approved	14.08.2025	THEJASWINI AR
Project	ASSAM ELECTRICITY GRID CORPORATION LTD	
	400/220KV GIS SONAPUR	
	128840	




Title 220KV CONTROL & RELAY PANEL	Doc. kind. Circuit diagram	DCC EFS	Ref.Des.	PG-GAS	Rev. ind. 02	Language	en
						Sheet	141
AC DISTRIBUTION		Hitachi Energy India Limited		Doc. no. 1KHFI128840R1113		n. sheet	151



Based on									
01		AS PER CUSTOMER COMMENTS		10.10.2025		PK		Approved	
02		AS PER CUSTOMER COMMENTS		19.11.2025		PK		Project	
								400/220KV GIS SONAPUR	
								128840	
								HITACHI	
								Hitachi Energy India Limited	
Title: 220KV CONTROL & RELAY PANEL		Doc. kind: Circuit diagram		DCC EFS		PG-GAS		Rev. Ind. 02	
		Ref.Des:				Language		en	
						Sheet		151	
						n. sheet		152	
1M/N691003-102(A3)REV01									
2									
3									
4									
5									
6									
7									
8									

LIST OF FUNCTIONS
AVAILABLE IN RELAY

- Distance Protection (PDIS₂₁)
- Power Swing Detection(RPSB, 78)
- Non-Dir. OC & EF Protn(50/51/50N/51N)
- Automatic Switch on to fault(PSOF)
- Two Step Over voltage Protection(PTOV,59)
- Fuse fail supervision(RFUF)
- Scheme Communication(PSC78)
- Tripping Logic(PTRC,94)-2 Instances
- Broken conductor check (PTOC,46)
- Four step phase O/C protection (PTOC-51/67)
- Disturbance Recorder(RDRE)
- Fault Locator(RFLO)
- Event Recorder (RDRE)
- Current Reversal
- Two Step Under voltage Protection(PTUV,59)
- Four step residual overcurrent protection(51N/67N)
- STUB Protection
- Phase selection with Load encroachment
- Quadrilateral characteristic
- Week end Infeed logics
- Breaker Failure Protection
- Under Frequency Protection
- Over Frequency Protection



Checked By	AM (P&D)	Checked By	DM (P&D)	Checked By	AGM (P&D)	Checked By	DGM (P&D)	Approved By	GM (P&D)
+		+		+		+		+	

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities, design details, performance parameters or conformity of the supplies with the Indian Statutory laws / IEC specifications as may be applicable nor does limit the AEGCL's right under the contract.

1 BRC ALARM

2 PSB OPTD

3 REC70 UNHEALTHY

4 DT SEND CH-1

5 DT SEND CH-2

6 CARRIER SEND CH-1

7 CARRIER SEND CH-2

8 CARRIER FAIL CH-1

9

10

11 CARRIER RECEIVE CH-1/2

12 DT RECEIVE CH-1/2

13 Z COM TRIP

14 DEF TRIP/OC

15 FUSE FAIL

O: Open

I: Closed

C: Cancel/Clear

E: Enter/Select/Execute

L/R: Local/Remote/off

O: Open

I: Closed

C: Cancel/Clear

E: Enter/Select/Execute

L/R: Local/Remote/off

APPROVED, subject to the condition that the approval conveyed herein neither releases the contractor of his contractual obligations and his responsibilities, design details, performance parameters or conformity of the supplies with the Indian Statutory laws & IEC specifications as may be applicable nor does limit the AEGCL's right under the contract.




Based on


Prepared	14.08.2025	PRAJWAL
----------	------------	---------

Title 220KV CONTROL & RELAY PANEL

Doc. kind.	Circuit diagram	Ref. Des.	=2R
------------	-----------------	-----------	-----



14.08.2025	Prepared	PRAJWAL	Title 220KV CONTROL & RELAY PANEL	HITACHI Hitachi Energy India Limited
14.08.2025	Approved	THEJASWINI AR		
14.08.2025	Project	ASSAM ELECTRICITY GRID CORPORATION LTD		
400/220KV GIS SONAPUR	128840			




Based on	
Rev.	Revision note
01	AS PER CUSTOMER COMMENTS
02	AS PER CUSTOMER COMMENTS

Date	Name
10.10.2025	PK
19.11.2025	PK

Prepared	14.08.2025	PRAJWAL
Approved	14.08.2025	THEJASWINI AR
Project	ASSAM ELECTRICITY GRID CORPORATION LTD	

Title	
220KV CONTROL & RELAY PANEL	
Doc. kind.	
Circuit diagram	
Ref.Des.	
DCC EFS	
Resp. dept.	
PG-GAS	
Rev. ind.	
02	
Language	
en	
Sheet	
157	
n. sheet	
158	

Doc. no.	
1KHF128840R1113	
Hitachi Energy India Limited	
HITACHI	



APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and nor releases design details, performance, materials and conformity of the supplies with the Indian Statutory Laws / IEC specifications as may be applicable, nor does limit the AEGCL's right under the contract.

Checked By: AM (P&D)	Checked By: DM (P&D)	Checked By: AGM (P&D)	Checked By: DGM (P&D)	Checked By: GM (P&D)
—	✍	✍	✍	✍





Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

1MYN691003-102(A3)REV01

Prepared	14.08.2025	PRAJWAL
Approved	14.08.2025	THEJASWINI AR
Project	ASSAM ELECTRICITY GRID CORPORATION LTD	
400/220kV GIS SONAPUR		
128840		
HITACHI		
Hitachi Energy India Limited		

Doc. no.	1KHFI128840R1113
Doc. kind.	Circuit diagram
Doc. depl.	PG-GAS
Doc. ind.	02
Language	en
Sheet	158
n. sheet	159

=2R



APPROVED, subject to the condition that the AEGCL's right under the contract specifications as may be applicable, nor does limit the AEGCL's right under the contract.

Checked By: AM (P&D)	Checked By: DM (P&D)	Checked By: AGM (P&D)	Checked By: DGM (P&D)	Approved By: GM (P&D)
—	—	—	—	—





Diagram showing 16 relay units (P3#BL.01 to P3#BL.16) connected to a 220-250VDC supply. Each unit contains a relay coil and a contact. The units are arranged in a 4x4 grid. The diagram includes a legend for the relay symbols and a table of relay specifications.

Relay Unit	Relay Type	Relay Specification
P3#BL.01	DT RECEIVE CH-1	220-250VDC
P3#BL.02	DT RECEIVE CH-1	220-250VDC
P3#BL.03	CARRIER RECEIVE CH-1	220-250VDC
P3#BL.04	CARRIER SW. OUT- M1	220-250VDC
P3#BL.05	CARRIER CH-1 FAIL	220-250VDC
P3#BL.06	M-2 PROTN.ED FAULTY	220-250VDC
P3#BL.07	REC670 RELAY FAIL	220-250VDC
P3#BL.08	DT RECEIVE CH-2	220-250VDC
P3#BL.09	CARRIER RECEIVE CH-2	220-250VDC
P3#BL.10	CARRIER SW. OUT- M2	220-250VDC
P3#BL.11	CARRIER CHANNEL-2 FAIL	220-250VDC
P3#BL.12	P51 FAULTY/P52 FAULTY	220-250VDC
P3#BL.13	GAS ZONE TRIP	220-250VDC
P3#BL.14	DT TRIP-1	220-250VDC
P3#BL.15	SPARE	220-250VDC
P3#BL.16	89L ISOL OPEN (ENABLE STUB PROTN)	220-250VDC


A

Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

14.08.2025	Prepared	PRAJWAL	Title	220KV CONTROL & RELAY PANEL	Doc. kind.	Circuit diagram	Rev. ind.	02	en	Language	Sheet	162	n. sheet	163
14.08.2025	Approved	THEJASWINI AR												
ASSAM ELECTRICITY GRID CORPORATION LTD														
400/220KV GIS SONAPUR		128840												
HITACHI														
Hitachi Energy India Limited														
Doc. no. 1KHFI28840R1113														



APPROVED, subject to the condition that the approval conveyed herein neither relieve the contractor of his contractual obligations and his responsibilities, design details, performance parameters and accuracy of the supplies with the Indian Standard ISAS / IEC specifications may be achieved, the cost limit. The AEGCL's right under the contract.



Based on	
01	AS PER CUSTOMER COMMENTS
02	AS PER CUSTOMER COMMENTS
Rev.	Revision note

Rev.	Date	Name
01	10.10.2025	PK
02	19.11.2025	PK


14.08.2025	14.08.2025	14.08.2025	128840
Prepared	Approved	Project	400/220kV GIS SONAPUR
PRAJWAL	THEJASWINI AR	ASSAM ELECTRICITY GRID CORPORATION LTD	

Doc. no.	Doc. kind.	Doc. no.
165.1	PG-GAS	165.1
en	Rev. ind.	02
166	Language	en

Doc. no.	Doc. kind.	Doc. no.
165.1	PG-GAS	165.1
en	Rev. ind.	02
166	Language	en

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibility, design, manufacture, parts and conformity of the supplies with the Indian Statutory laws / IEC specifications as may be applicable, nor does limit the AEGCL's right under the contract

Checked By	Checked By	Checked By	Checked By	Checked By
AM (P&D)	DM (P&D)	AGM (P&D)	DSM (P&D)	GM (P&D)
—	—	—	—	—



MAIN-2 LINE DIST. PROT. RLY-7SA87

-FN2

K202

K202

K201

K201

=2R+AB

Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

Based on	14.08.2025	14.08.2025	14.08.2025
Prepared	PRAJWAL	THEJASWINI AR	ASSAM ELECTRICITY GRID CORPORATION LTD
Approved	14.08.2025	14.08.2025	14.08.2025
Project	400/220KV GIS SONAPUR	128840	

Doc. no.	1KHFF128840R1113	Doc. kind.	Circuit diagram
Rev. Ind.	02	Resp. dept.	PG-GAS
Language	en		
Sheet	166		
n. sheet	167		



APPROVED, subject to the condition that the approval conveyed herein neither obligates nor releases the contractor of his contractual obligations and his responsibility details, performs particular and conformity of the supplies with the Indian Statutory laws / IEC specifications as may be applicable not does limit the AEGC's right under the contract.


Checked By	AM (P&D)	Checked By	DM (P&D)	Checked By	AGM (P&D)	Checked By	DOH (P&D)	Approved By	GM (P&D)

SPARE	#BO x.4	1/16T.BT	2	K259	13
SPARE	#BO x.1	1/16T.BT	9	K263	15
SPARE	#BO x.2	1/16T.BT	11	K267	17
SPARE	#BO x.3	1/16T.BT	14	K271	19

MAIN-2 LINE DIST. PROT. RLY-7SAB7

-FN2

+AB



Rev.	Revision note	Date	Name
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
Prepared	14.08.2025	14.08.2025	PRAJWAL
Approved	14.08.2025	14.08.2025	THEJASWINI AR
Project	ASSAM ELECTRICITY GRID CORPORATION LTD		
Doc. no.	128840		
Doc. kind.	220KV CONTROL & RELAY PANEL		
Doc. depl.	220KV LINE CRP		
Rev. ind.	PG-GAS		
Language	en		
Sheet	167		
n. sheet	168		

1KHF128840R1113

HITACHI

Hitachi Energy India Limited

MAIN-2 PROT. CKT-MASTER BLOCK


220KV LINE CRP

DCC EFS

Circuit diagram

Ref. Des.

=2R



Checked By	AM (P&D)
Checked By	DM (P&D)
Checked By	ACM (P&D)
Checked By	DGM (P&D)
Approved By	GM (P&D)



Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

14.08.2025	14.08.2025	14.08.2025	128840
Prepared	Approved	Project	400/220kV GIS SONAPUR
PRAJWAL	THEJASWINI AR	ASSAM ELECTRICITY GRID CORPORATION LTD	

Doc. no.	Doc. kind	Doc. depl.	Doc. Des.
1KHFI28840R1113	220kV CONTROL & RELAY PANEL	MAIN-2 PROT. CKT-MASTER BLOCK	220kV LINE CRP
168	en	PG-GAS	DCC EFS
168	en	PG-GAS	DCC EFS

Prepared	14.08.2025	PRAJWAL
Approved	14.08.2025	THEJASWINI AR
Project	ASSAM ELECTRICITY GRID CORPORATION LTD	
	400/220KV GIS SONAPUR	
	128840	

[illegible]


Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

VTMCB03
 2A
 11 12
 11 12

E113	2	1	E114	19	-X401	BUS PT R-Y PH (SYNG) SEL PT 0-340V VT: P408AL10 2A3D4	20 19
E133	4	3	E134	20			


Checked By AM (P&D)	Checked By DM (P&D)	Checked By AGM (P&D)	Checked By DGM (P&D)	Approved By GM (P&D)
—	E	E	H	E

APPROVED, subject to the condition that the approval conveyed herein neither releases the contractor of his contractual obligations and his responsibility in detail, nor waives particular or summary of the approval with the Indian Railway / IEC specifications as may be applicable, nor does limit the AEGCL's right under the contract.



FOR REF LCC DRAWINGS REFER
AEGCL-SONA-0816SN-VEN-2GIS-086
SH NO:70

APPROVED, subject to the condition that the approval conveyed hereafter shall be valid only for the purpose of the contract and his responsibility design details. The approval conveyed hereafter shall be valid only for the purpose of the contract and his responsibility design details. The approval conveyed hereafter shall be valid only for the purpose of the contract and his responsibility design details.



Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK


14.08.2025	Prepared	PRAJWAL
14.08.2025	Approved	THEJASWINI AR

400/220kV GIS SONAPUR	Project	ASSAM ELECTRICITY GRID CORPORATION LTD
128840		

Doc. no.	1KHFF128840R1113
Sheet	225
n. sheet	226

Doc. kind.	Circuit diagram
Doc. depl.	PG-GAS
Rev. ind.	02
Language	en

Ref.Des.	DCC EFS
	=2R



Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK


Doc. no.	1KHF128840R1113
Doc. kind.	Circuit diagram
Doc. depl.	PG-GAS
Doc. lang.	en
Doc. rev.	02
Doc. sheet	226
Doc. total	227

APPROVED, subject to the condition that the approval conveyed herein neither obligates nor releases the contractor from his contractual responsibilities and his responsibilities of the design details. The approval is subject to the condition that the approval conveyed herein neither obligates nor releases the contractor from his contractual responsibilities and his responsibilities of the design details.


227 A3 K501

227 A3 K502

FOR REF LCC DRAWINGS REFER
AEGCL-SONA-0816SN-VEN-2GIS-086
SH NO:58



Based on				14.08.2025				PRAJWAL				Title				220kV CONTROL & RELAY PANEL				Doc. kind.				Circuit diagram				Ref.Des.				=2R			
01				AS PER CUSTOMER COMMENTS				PK				Approved				14.08.2025				THEJASWINI AR				220kV LINE CRP				REC670 PROTN.CKTS-BIM				Hitachi Energy India Limited			
02				AS PER CUSTOMER COMMENTS				PK				Project				400/220kV GIS SONAPUR				Doc. no.				1KHFI28840R1113				PG-GAS				Rev. ind. 02			
Rev.				Revision note				Date				Name				128840				Sheet				228				Language				n. sheet			
1				1MYN691003-102(A3)REV01				8				7				6				5				4				3				2			




APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations nor his responsibility of the performance of the contract. The approval is given on the condition that the contractor shall be responsible for the supply of the materials and components as may be applicable under the contract.



Checked By	AM (P&D)
Checked By	DM (P&D)
Checked By	AGM (P&D)
Checked By	DGM (P&D)
Checked By	Approved By
Checked By	Approved By

FOR REF LCC DRAWINGS REFER
AEGCL-SONA-0816SN-VEN-2GIS-086
SH NO:58



Prepared	14.08.2025	PRAJWAL
Approved	14.08.2025	THEJASWINI AR
Project	ASSAM ELECTRICITY GRID CORPORATION LTD	
	400/220KV GIS SONAPUR	
	128840	

[illegible]

FOR REF LCC DRAWINGS REFER
AEGCL-SONA-0816SN-VEN-2GIS-086
SH NO:58


Checked By AM (P&D)	—
Checked By DM (P&D)	✓
Checked By AGM (P&D)	
Checked By DGM (P&D)	
Approved By GM (P&D)	



APPROVED, subject to the condition that the approval conveyed herein neither releases the contractor of his contractual obligations, nor his responsibilities, design details, performance, particles and conformity of the supplies with the Indian Statutory laws / IEC specifications as may be applicable nor does limit the AEGCL's right under the contract.

Prepared	14.08.2025	PRAJWAL
Approved	14.08.2025	THEJASWINI AR
Project	ASSAM ELECTRICITY GRID CORPORATION LTD	
	400/220kV GIS SONAPUR	
	128840	

[illegible]




FOR REF LCC DRAWINGS REFER
AEGCL-SONA-0816SN-VEN-2GIS-086
SH NO:59

Checked By	AM (P&D)
Checked By	DM (P&D)
Checked By	AGM (P&D)
Checked By	DGM (P&D)
Approved By	GM (P&D)



APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities design details, performance particulars and conformity of the supplies with the Indian Statutory laws / IEC specifications as may be applicable, nor does limit the AEGCL's right under the contract.

Rev.	Revision note	Date	Name
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
Based on	Prepared	14.08.2025	PRAJWAL
Title 220KV CONTROL & RELAY PANEL			
Doc. kind, Circuit diagram			
Ref.Des.			
=2R			
Doc. no. 1KHFI28840R1113			
Resp. dept. PG-GAS			
Rev. ind. 02			
Language en			
Sheet 233			
n.sheet 234			




APPROVED, subject to the condition that the approval conveyed herein neither releases the contractor of his contractual obligations and his responsibilities design details, nor exempts him from his obligations as may be applicable, nor does limit the AEGCL's right under the contract.

FOR REF LCC DRAWINGS REFER
AEGCL-SONA-0816SN-VEN-ZGIS-086
SH NO:59

Checked By AM (P.LD)	—
Checked By DIM (P.LD)	✓
Checked By AGM (P.LD)	✓
Checked By UGM (P.LD)	✓
Approved By CM (P.LD)	✓



##APPLICABLE ONLY
FOR D04 BAY




Based on				14.08.2025			
01	AS PER CUSTOMER COMMENTS	PK	14.08.2025	Prepared	PRAJWAL	THEJASWINI AR	220KV LINE CRP
02	AS PER CUSTOMER COMMENTS	PK	19.11.2025	Approved	ASSAM ELECTRICITY GRID CORPORATION LTD	REC670 PROTN.CKTS-BIM	PG-GAS
				128840			
				400/220KV GIS SONAPUR			
				Hitachi Energy India Limited			
				1KHFI128840R1113			
				236			
				237			

Doc. no.		Rev. ind.		Language		en	
236		02		237			
Doc. kind.		Circuit diagram		Ref.Des.		=2R	
Title		220KV CONTROL & RELAY PANEL		DCC EFS			
Resp. depl.		PG-GAS		Language		en	
Doc. no.		1KHFI128840R1113		Sheet		236	
				n. sheet		237	

[illegible]

[illegible]

Checked by AM (P&D)	Checked by DM (P&D)	Checked by ADM (P&D)
—	W	2

[illegible]

Rev.	Revision note	Date	Name
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK

Prepared	Approved	Project	400/220KV GIS SONAPUR
14.08.2025	14.08.2025	THEJASWINI AR	ASSAM ELECTRICITY GRID CORPORATION LTD

Doc. no.	Doc. kind	Doc. title	Doc. date
1KH F128840R1113	Circuit diagram	220KV CONTROL & RELAY PANEL	14.08.2025

Rev. ind.	Rev. ind.	Rev. ind.	Rev. ind.
02	02	02	02

Language	Language	Language	Language
en	en	en	en

Sheet	Sheet	Sheet	Sheet
240	240	240	240

n. sheet	n. sheet	n. sheet	n. sheet
241	241	241	241

Doc. no.	Doc. kind	Doc. title	Doc. date
1KH F128840R1113	Circuit diagram	220KV CONTROL & RELAY PANEL	14.08.2025

Rev. ind.	Rev. ind.	Rev. ind.	Rev. ind.
02	02	02	02

Language	Language	Language	Language
en	en	en	en

Sheet	Sheet	Sheet	Sheet
240	240	240	240

n. sheet	n. sheet	n. sheet	n. sheet
241	241	241	241

Doc. no.	Doc. kind	Doc. title	Doc. date
1KH F128840R1113	Circuit diagram	220KV CONTROL & RELAY PANEL	14.08.2025

Rev. ind.	Rev. ind.	Rev. ind.	Rev. ind.
02	02	02	02

Language	Language	Language	Language
en	en	en	en

Sheet	Sheet	Sheet	Sheet
240	240	240	240

n. sheet	n. sheet	n. sheet	n. sheet
241	241	241	241

Doc. no.	Doc. kind	Doc. title	Doc. date
1KH F128840R1113	Circuit diagram	220KV CONTROL & RELAY PANEL	14.08.2025

Rev. ind.	Rev. ind.	Rev. ind.	Rev. ind.
02	02	02	02

Language	Language	Language	Language
en	en	en	en

Sheet	Sheet	Sheet	Sheet
240	240	240	240

n. sheet	n. sheet	n. sheet	n. sheet
241	241	241	241

Doc. no.	Doc. kind	Doc. title	Doc. date
1KH F128840R1113	Circuit diagram	220KV CONTROL & RELAY PANEL	14.08.2025

Rev. ind.	Rev. ind.	Rev. ind.	Rev. ind.
02	02	02	02

Language	Language	Language	Language
en	en	en	en

Sheet	Sheet	Sheet	Sheet
240	240	240	240

n. sheet	n. sheet	n. sheet	n. sheet
241	241	241	241

Doc. no.	Doc. kind	Doc. title	Doc. date
1KH F128840R1113	Circuit diagram	220KV CONTROL & RELAY PANEL	14.08.2025

Rev. ind.	Rev. ind.	Rev. ind.	Rev. ind.
02	02	02	02

Language	Language	Language	Language
en	en	en	en

Sheet	Sheet	Sheet	Sheet
240	240	240	240

n. sheet	n. sheet	n. sheet	n. sheet
241	241	241	241

Doc. no.	Doc. kind	Doc. title	Doc. date
1KH F128840R1113	Circuit diagram	220KV CONTROL & RELAY PANEL	14.08.2025

Rev. ind.	Rev. ind.	Rev. ind.	Rev. ind.
02	02	02	02

Language	Language	Language	Language
en	en	en	en

Sheet	Sheet	Sheet	Sheet
240	240	240	240

n. sheet	n. sheet	n. sheet	n. sheet
241	241	241	241

Doc. no.	Doc. kind	Doc. title	Doc. date
1KH F128840R1113	Circuit diagram	220KV CONTROL & RELAY PANEL	14.08.2025

Rev. ind.	Rev. ind.	Rev. ind.	Rev. ind.
02	02	02	02

Language	Language	Language	Language
en	en	en	en

Sheet	Sheet	Sheet	Sheet
240	240	240	240

n. sheet	n. sheet	n. sheet	n. sheet
241	241	241	241

Doc. no.	Doc. kind	Doc. title	Doc. date
1KH F128840R1113	Circuit diagram	220KV CONTROL & RELAY PANEL	14.08.2025

Rev. ind.	Rev. ind.	Rev. ind.	Rev. ind.
02	02	02	02

Language	Language	Language	Language
en	en	en	en

Sheet	Sheet	Sheet	Sheet
240	240	240	240

n. sheet	n. sheet	n. sheet	n. sheet
241	241	241	241

[illegible]

1M/N691003-102(A3)REV01

Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

Based on

Prepared	Approved	Project	128840
14.08.2025	14.08.2025	ASSAM ELECTRICITY GRID CORPORATION LTD	400/220KV GIS SONAPUR

HITACHI Hitachi Energy India Limited

Doc. no.	Rev. Ind.	Language	n. sheet
1KHF128840R1113	02	en	241

242

220KV CONTROL & RELAY PANEL

220KV LINE CRP
REC670 PROT.N.CKTS-BOM

Circuit diagram
DCC EFS

Ref.Des.
=2R

PRAJWAL

THEJASWINI AR

14.08.2025

14.08.2025

69

68

67

66

65

64

63

62

61

60

59

58

57

56

55

54

53

52

51

50

49

48

47

46

45

44

43

42

41

40

39

38

37

36

35

34

33

32

31

30

29

28

27

26

25

24

23

22

21

20

19

18

17

16

15

14

13

12

11

10

09

08

07

06

05

04

03

02

01

00

99

98

97

96

95

94

93

92

91

90

89

88

87

86

85

84

83

82

81

80

79

78

77

76

75

74

73

72

71

70

69

68

67

66

65

64

63

62

61

60

59

58

57

56

55

54

53

52

51

50

49

48

47

46

45

44

43

42

41

40

39

38

37

36

35

34

33

32

31

30

29

28

27

26

25

24

23

22

21

20

19

18

17

16

15

14

13

12

11

10

09

08

07

06

05

04

03

02

01

00

99

98

97

96

95

94

93

92

91

90

89

88

87

86

85

84

83

82

81

80

79

78

77

76

75

74

73

72

71

70

69

68

67

66

65

64

63

62

61

60

59

58

57

56

55

54

53

52

51

50

49

48

47

46

45

44

43

42

41

40

39

38

37

36

35

34

33

32

31

30

29

28

27

26

25

24

23

22

21

20

19

18

17

16

15

14

13

12

11

10

09

08

07

06

05

04

03

02

01

00

99

98

97

96

95

94

93

92

91

90

89

88

87

86

85

84

83

82

81

80

79

78

77

76

75

74

73

72

71

70

69

68

67

66

65

64

63

62

61

60

59

58

57

56

55

54

53


52

51

50

49

48




Approval and Check Status

Checked By	Checked By	Checked By	Checked By	Checked By
AM (P&D)	DM (P&D)	AGM (P&D)	DGM (P&D)	Approved By
—	✓	✓	✓	✓

Approved, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities, design details, performance particulars and conformity of the supplies with the Indian Statutory Laws / IEC specifications as may be applicable nor does limit the AEGCL's right under the contract.

Electric & Engineering Co. Ltd.
GATEWAY 27
GATEWAY 27

Rev.	Revision note	Date	Name
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
Based on			
Prepared	14.08.2025	PRAJWAL	THEJASWINI AR
Approved	14.08.2025	ASSAM ELECTRICITY GRID CORPORATION LTD	400/220KV GIS SONAPUR
Project			
128840			
Hitachi Energy India Limited			
Doc. no. 1KHF128840R1113			
PG-GAS			
Rev. ind. 02			
Language en			
Sheet 245			
n. sheet 246			



Rev.		Revision note	Date	Name
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK	Project
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK	Approved
		14.08.2025		Prepared
Title: 220kV CONTROL & RELAY PANEL				
Doc. no. 1KHf128840R1113				
Resp. dept. PG-GAS				
Rev. ind. 02				
Language en				
Sheet 246				
n. sheet 247				

Approved, subject to the condition that the approval conveyed herein neither obligates nor relieves the contractor of his contractual obligations and his responsibilities during the performance of the contract and conformity of the supplies with the Indian Statutory laws / IEC specifications as may be applicable nor does limit the AEGCL's right under the contract.

Checked By	Checked By	Checked By	Checked By	Checked By
AM (P&D)	DM (P&D)	AGM (P&D)	DGM (P&D)	GM (P&D)
Checked By	Checked By	Checked By	Checked By	Checked By

1MRK000508-CD


+D,12-KF1

Binary input module

220-250VDC, 50ma

BIM

Title: 220kV CONTROL & RELAY PANEL	
Doc. no. 1KHf128840R1113	
Resp. dept. PG-GAS	
Rev. ind. 02	
Language en	
Sheet 246	
n. sheet 247	



APPROVED, subject to the condition that the AEGCL's right under the contract, specifications as may be applicable, nor does limit suppliers with the Indian Station laws / IEC performance partners and conformity of the original and his respective design details, reserves the contractor of his contractual the approval conveyed herein neither

Checked By	Checked By	Checked By	Checked By	Checked By
AM (P&D)	DM (P&D)	AGM (P&D)	DGM (P&D)	GM (P&D)
Approved By	Approved By	Approved By	Approved By	Approved By



Pin	Signal	Function	Notes
1	P4#BO.01	Q1 OPEN CMD	
2			
3	P4#BO.02	Q1 CLOSE CMD	
4	P4#BO.03	Q1 -VE COMMON	
5			
6	P4#BO.04	Q2 -VE COMMON	
7	P4#BO.05	Q2 OPEN CMD	
8			
9	P4#BO.06	Q2 CLOSE CMD	
10	P4#BO.07	Q51 OPEN CMD	
11			
12	P4#BO.08	Q51 CLOSE CMD	
13	P4#BO.09	Q51 -VE COMMON	
14			
15	P4#BO.10	Q52 -VE COMMON	
16	P4#BO.11	Q52 OPEN CMD	
17			
18	P4#BO.12	Q52 CLOSE CMD	
19			

1MRK000614-AB

BOM

+D.12-KF1

+AA

1MRK00614-AB

X42

2

1

/241.B2

3

4

/241.B2

5

6

/241.C2

7

8

/241.C2

9

10

/241.C2

11

12

/242.B5

13

14

/241.B5

15

16

/242.A2

17

18

/242.B2

EN CMD

13

LOSE CMD

14

COMMON

15

E COMMON

16

OPEN CMD

17

LOSE CMD

18

SET

19

20

21

22

23

24

EN CMD

LOSE CMD

COMMON

OPEN CMD

LOSE CMD

SET

TRIP COMMAND

EN CLOSE

CB MANUAL C

P6#BO.01

MAIN CB AR C

(MAIN BAY TO

P6#BO.02

PREPARE 3P

TO MAIN-1

P6#BO.03

CB MANUAL C

P6#BO.04

AR CLOSE (M

P6#BO.05

MAIN CB AR C

(MAIN BAY TO

P6#BO.06

LINE PT RESE

MANUAL SEL

LINE PT SET

MANUAL SEL

CB MANUAL C

P6#BO.09

SPARE

P6#BO.10

SYNC OK

P6#BO.11

SPARE

P6#BO.12


BOM

+D.12-KF1

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities design defects, performance particulars and conformity of the purview with the Indian Statutory laws / IEC standards as may be applicable, nor does it constitute a valid receipt under the contract.

[illegible]


Based on										14.08.2025										PRAJWAL										Title										220KV CONTROL & RELAY PANEL										Doc. kind										Circuit diagram										Ref.Des:										=2R																																																	
01										AS PER CUSTOMER COMMENTS										10.10.2025										PK										Approved										14.08.2025										THEJASWINI AR										220KV LINE CRP										Doc. no.										1KHF128840R1113										Sheet										250																			
02										AS PER CUSTOMER COMMENTS										19.11.2025										PK										Project										400/220KV GIS SONAPUR										Hitachi Energy India Limited										Resp. dept										PG-GAS										Rev. Ind.										02										Language										en									
Rev.										Revision note										Date										Name										128840										HITACHI										Doc. no.										1KHF128840R1113										n. sheet										261																																							
1										2										3										4										5										6										7										8																																																											
1M\YN691003-102(A3)REV01																																																																																																																																	



Checked By AM (P&D)	Checked By DM (P&D)	Checked By AGM (P&D)	Checked By DSM (P&D)	Approved By GM (P&D)
—	A			

APPROVED, subject to the condition that the approval conveyed herein neither releases the contractor of his contractual obligations and his responsibilities, nor details performance particulars and conformity of the supplies with the Indian Electricity Acts / IEC specifications as may be applicable, nor does limit the AEGL's right under the contract.





APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities design details, performance particulars and conformity of the supplies with the Indian statutory laws / IEC specifications as may be applicable nor does limit the AEGCL's right under the contract.



Checked By	Checked By	Checked By	Checked By	Checked By
AM (P&D)	DM (P&D)	ACM (P&D)	DGM (P&D)	GM (P&D)
✓	✓	✓	✓	✓


Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

Doc. no.	1KHFI28840R1113	Rev. Ind.	02	Language	en
Sheet	261	n. sheet	262		

Doc. kind.	Circuit diagram	Ref.Des.	=2R
Doc. kind.	Circuit diagram	Ref.Des.	=2R

Project	ASSAM ELECTRICITY GRID CORPORATION LTD	Project	ASSAM ELECTRICITY GRID CORPORATION LTD
Approved	14.08.2025	Approved	14.08.2025
Prepared	14.08.2025	Prepared	14.08.2025

Title	220KV CONTROL & RELAY PANEL	Title	220KV CONTROL & RELAY PANEL
Doc. no.	1KHFI28840R1113	Doc. no.	1KHFI28840R1113
Rev. Ind.	02	Rev. Ind.	02
Language	en	Language	en
Sheet	261	Sheet	261
n. sheet	262	n. sheet	262



APPROVED, subject to the condition that the approval conveyed herein neither releases the contractor of his contractual obligations nor his responsibility of the design, construction and commissioning of the equipment. The approval is given on the basis of the specifications as may be agreed upon in the contract. The ASGC's right under the contract is not affected.

Checked By	AM (P&D)
Checked By	DM (P&D)
Checked By	ADM (P&D)
Checked By	DCM (P&D)
Checked By	GM (P&D)



Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

Doc. no.	1KHF128840R1113
Doc. kind.	Circuit diagram
Doc. depl.	PG-GAS
Doc. ind.	02
Doc. lang.	en
Doc. sheet	263
Doc. n. sheet	264


Project	ASSAM ELECTRICITY GRID CORPORATION LTD
Approved	14.08.2025
Prepared	14.08.2025


Table	220KV CONTROL & RELAY PANEL
Table	<LINE>-TIE-LINE
Table	GR-B SINGLE PHASE TRIP CIRCUIT

Hitachi Energy India Limited
HITACHI

Prepared	14.08.2025	PRAJWAL	Title	220kV CONTROL & RELAY PANEL
Approved	14.08.2025	THEJASWINI AR		220kV LINE CRP
Project	ASSAM ELECTRICITY GRID CORPORATION LTD			
400/220kV GIS SONAPUR		HITACHI		
128840		Hitachi Energy India Limited		

Doc. no.	1KHF128840R1113	Doc. kind.	Circuit diagram	Ref.Des.	=2R
Resp. dept.	PG-GAS		DCC EFS		
Rev. Ind.	02				
Language	en				
Sheet	264				
n. sheet	265				





Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

14.08.2025	Prepared	PRAJWAL
14.08.2025	Approved	THEJASWINI AR
14.08.2025	Project	ASSAM ELECTRICITY GRID CORPORATION LTD


400/220kV GIS SONAPUR	128840	HITACHI
Hitachi Energy India Limited		


Doc. no.	1KHF128840R1113
Rev. ind.	02
Language	en
n. sheet	265
n. sheet	266

Doc. ind.	Circuit diagram
Doc. ind.	DCC EFS
Doc. ind.	PG-GAS
Doc. ind.	Ref.Des.
Doc. ind.	=2R

Prepared	14.08.2025	PRAJWAL
Approved	14.08.2025	THEJASWINI AR
Project	ASSAM ELECTRICITY GRID CORPORATION LTD	
	400/220kV GIS SONAPUR	
	128840	

Doc. no.	1KH F128840R1113	Sheet	267
Doc. kind.	Circuit diagram	Sheet	266
Doc. kind.	DCC EFS	Language	en
Doc. kind.	PG-GAS	Rev. ind.	02
Doc. kind.	Ref.Des.		=2R






Prepared	14.08.2025	PRAJWAL
Approved	14.08.2025	THEJASWINI AR
Project	ASSAM ELECTRICITY GRID CORPORATION LTD	
	400/220KV GIS SONAPUR	
	128840	

Doc. no.	1KH F128840R1113	Rev. ind.	02	Language	en	Sheet	268	n. sheet	269
Doc. kind.	Circuit diagram	Ref.Des.	=2R						
	DCC EFS								
Resp. dept.	PG-GAS								



FOR REF LCC DRAWINGS REFER
AEGCL-SONA-0816SN-VEN-2GIS-086
sh:28



Prepared	14.08.2025	PRAJWAL	Title 220KV CONTROL & RELAY PANE 220KV LINE CRP CB CLOSING CIRCUIT	HITACHI Hitachi Energy India Limited
Approved	14.08.2025	THEJASWINI AR		
Project	ASSAM ELECTRICITY GRID CORPORATION LTD	400/220KV GIS SONAPUR		
				128840

Doc. no.	1KH F128840R1113		
Doc. kind.	Circuit diagram	Ref.Des	
Resp. dept.	DCC EFS	Rev. Ind	
	PG-GAS		




APPROVED, subject to the condition that the approval conveyed herein neither releases the contractor of his contractual obligations and his responsibility for design details, performance, materials and conformity of the supplies with the Indian statutory laws / IEC regulations as may be applicable nor does limit AEGEL's right under the contract.

Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

14.08.2025	Prepared	PRAJWAL	Title	220kV CONTROL & RELAY PANEL	Doc. kind.	Circuit diagram	Ref.Des.	=2R
14.08.2025	Approved	THEJASWINI AR	Project	ASSAM ELECTRICITY GRID CORPORATION LTD	Resp. dept.	PG-GAS	Rev. ind.	02
128840				400/220kV GIS SONAPUR				


1KHF128840R1113	Doc. no.	n. sheet	301
		Sheet	271
		Language	en

Checked By AM (P&D)	Checked By DM (P&D)	Checked By AGM (P&D)	Checked By DGM (P&D)	Approved By GM (P&D)
—	✓	✓	✓	✓




APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities design details, procurements and conformity of the supplies with the Indian Statutory laws / IEC specifications as may be applicable, nor does limit AEGCI's right under the contract.

FOR REF LCC DRAWINGS REFER
AEGCI SONA-0816SN-VEN-2GIS-086
sh:23



Checked By	AM (P&D)
Checked By	DM (P&D)
Checked By	AGM (P&D)
Checked By	DGM (P&D)
Approved By	GM (P&D)

APPROVED, subject to the condition that the approval conveyed herein neither releases the contractor of his contractual obligations nor his responsibilities design details, and his responsibilities and capacity of the contract with the Indian regulatory laws / IEC regulations as may be applicable nor does limit the AEGCL's right under the contract



Rev.	Revision note	Date	Name
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
Based on	Prepared	14.08.2025	PRAJWAL
Table	220kV CONTROL & RELAY PANEL	Doc. kind.	Circuit diagram
Doc. no.	1KHF128840R1113	Rev. ind.	02
Sheet	303	Language	en
n. sheet	304		



14.08.2025	Prepared	PRAJWAL	Title 220KV CONTROL & RELAY PANEL 220KV LINE CRP CARRIER SIGNALS CKT	Resp. dept. PG-GAS Rev. ind. 02	Doc. no. 1KHFF128840R1113 Sheet 304 n. sheet 308
14.08.2025	Approved	THEJASWINI AR			
400/220KV GIS SONAPUR	Project	ASSAM ELECTRICITY GRID CORPORATION LTD			




APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities design details, nor release particulars and conformity of the drawings with the Indian Statutory laws / IEC. AGC's right under the contract.

Based on

Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

Project	ASSAM ELECTRICITY GRID CORPORATION LTD
Approved	14.08.2025
THEJASWINI AR	
Prepared	14.08.2025
PRAJWAL	

Title	220KV CONTROL & RELAY PANEL
Doc. kind.	Circuit diagram
Doc. no.	1KHF128840R1113
Rev. ind.	02
Language	en
Sheet	308
n. sheet	403




Checked By	AM (P&D)
Checked By	DM (P&D)
Checked By	AGM (P&D)
Checked By	DGM (P&D)
Checked By	GM (P&D)



LINE CVT SEL RLY(75F)	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000
-----------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

Rev.		Revision note	Date	Name	128840	Hitachi		Doc. no.	1KHF128840R1103	n. sheet	404				
02		AS PER CUSTOMER COMMENTS	19.11.2025	PK	Project	ASSAM ELECTRICITY GRID CORPORATION LTD		Resp. dept.	PG-GAS	Rev. ind.	02				
01		AS PER CUSTOMER COMMENTS	10.10.2025	PK	Approved	14.08.2025		LINE-TIE-<LINE>		DCC EFS					
Based on		Prepared	14.08.2025		PRAJWAL		Title		220KV CONTROL & RELAY PANEL						
									Circuit diagram						
									Ref.Des.						
									=2R						



Based on		Revision note		Date		Name	
01	AS PER CUSTOMER COMMENTS	PK	10.10.2025	PK	19.11.2025	PK	19.11.2025
02	AS PER CUSTOMER COMMENTS	PK	19.11.2025	PK	19.11.2025	PK	19.11.2025

14.08.2025	14.08.2025	14.08.2025	14.08.2025	14.08.2025	14.08.2025	14.08.2025	14.08.2025
128840	128840	128840	128840	128840	128840	128840	128840


Project	ASSAM ELECTRICITY GRID CORPORATION LTD	Project	ASSAM ELECTRICITY GRID CORPORATION LTD	Project	ASSAM ELECTRICITY GRID CORPORATION LTD	Project	ASSAM ELECTRICITY GRID CORPORATION LTD
Approved	THEJASWINI AR	Approved	THEJASWINI AR	Approved	THEJASWINI AR	Approved	THEJASWINI AR
Prepared	PRAJWAL	Prepared	PRAJWAL	Prepared	PRAJWAL	Prepared	PRAJWAL

Doc. no.	1KH F128840 R1103	Doc. no.	1KH F128840 R1103	Doc. no.	1KH F128840 R1103	Doc. no.	1KH F128840 R1103
Rev. ind.	02	Rev. ind.	02	Rev. ind.	02	Rev. ind.	02
Language	en	Language	en	Language	en	Language	en
Sheet	405	Sheet	405	Sheet	405	Sheet	405
n. sheet	406	n. sheet	406	n. sheet	406	n. sheet	406

Approved, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities design details, nor does it constitute an approval of the performance of the contractor or his subcontractors. The approval is given on the basis of the specifications as may be applicable and not for the purpose of the contract. The approval is given on the basis of the specifications as may be applicable and not for the purpose of the contract.

Checked By	Checked By	Checked By	Checked By	Checked By	Checked By
AM (P&D)	DM (P&D)	AGM (P&D)	DOM (P&D)	AGM (P&D)	DOM (P&D)
Checked By	Checked By	Checked By	Checked By	Checked By	Checked By
Approved By	Approved By	Approved By	Approved By	Approved By	Approved By

E11A	E13A	E15A	E17A	E21A	E23A	E25A	E27A	E31A	E33A	E35A	E37A
+B.05-X12.13	+B.05-X12.14	+B.05-X12.15	+B.05-X12.16	+B.05-X12.17	+B.05-X12.18	+B.05-X12.19	+B.05-X12.20	+B.05-X12.35	+B.05-X12.36	+B.05-X12.37	+B.05-X12.38
1	2	3	4	5	6	7	8	9	10	11	12




Checked By	Checked By	Checked By	Checked By	Checked By
AM (P&D)	DM (P&D)	AGM (P&D)	DCM (P&D)	GM (P&D)

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities, design details, performance parameters and conformity of the supplies with the Indian Standards / IEC specifications as may be applicable nor does limit the AEGCL's right under the contract

Based on		01	AS PER CUSTOMER COMMENTS	10.10.2025	PK	Approved	14.08.2025	PRAJWAL
		02	AS PER CUSTOMER COMMENTS	19.11.2025	PK	Project	ASSAM ELECTRICITY GRID CORPORATION LTD	
						400/220KV GIS SONAPUR	128840	
								HITACHI
								Hitachi Energy India Limited
								Doc. no.
								1KHF128840R1103
								n. sheet
								406
								en
								Language
								02
								Rev. Ind.
								PG-GAS
								DCC EFS
								Circuit diagram
								Ref.Des.
								=2R








Based on			
Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

14.08.2025	PRAJWAL	Approved	14.08.2025	THEJASWINI AR	Project	ASSAM ELECTRICITY GRID CORPORATION LTD	400/220KV GIS SONAPUR	128840
------------	---------	----------	------------	---------------	---------	--	-----------------------	--------


Title 220KV CONTROL & RELAY PANEL		Doc. kind	Circuit diagram	RefDes.	=2R	
ETHERNET SWITCH CIRCUIT		Resp. depl.	PG-GAS	Rev. ind.	02	Language en
220KV LINE CRP		DCC EFS				
Hitachi Energy India Limited		Doc. no.	1KHF128840R1113	Sheet	362	n. sheet 363



Checked By AM (P&D)	Checked By DM (P&D)	Checked By AGM (P&D)	Checked By DGM (P&D)	Checked By Approved By GM (P&D)
				

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities and details, performance and compliance with the Indian contract laws / IEC specifications as may be applicable nor does limit the AEGEL's right under the contract.











Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

Prepared	14.08.2025	PRAJWAL
Approved	14.08.2025	THEJASWINI AR
Project	400/220KV GIS SONAPUR	ASSAM ELECTRICITY GRID CORPORATION LTD

Doc. no.	1KHF128840R1113	Doc. kind.	Circuit diagram
Rev. Ind.	02	PG-GAS	DCC EFS
Language	en		
Sheet	364		
n. sheet	401		



APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibilities design details, performance parameters and conformity of the supplies with the Indian statutory laws / IEC specifications as may be applicable nor does limit the AEGCL's right under the contract.

Checked By	AM (P&D)
Checked By	DM (P&D)
Checked By	AGM (P&D)
Checked By	DGM (P&D)
Checked By	GM (P&C)

Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK


14.08.2025	14.08.2025	14.08.2025	14.08.2025
Prepared	Approved	Project	128840
PRAJWAL	THEJASWINI AR	ASSAM ELECTRICITY GRID CORPORATION LTD	400/220KV GIS SONAPUR

Doc. no.	Doc. kind.	Doc. no.	Doc. kind.
1KHFI28840R1113	Circuit diagram	1KHFI28840R1113	Circuit diagram
401	PG-GAS	401	PG-GAS
402	en	402	en

1MNYN691003-102(A3)REV01	1MNYN691003-102(A3)REV01	1MNYN691003-102(A3)REV01	1MNYN691003-102(A3)REV01
1MNYN691003-102(A3)REV01	1MNYN691003-102(A3)REV01	1MNYN691003-102(A3)REV01	1MNYN691003-102(A3)REV01
1MNYN691003-102(A3)REV01	1MNYN691003-102(A3)REV01	1MNYN691003-102(A3)REV01	1MNYN691003-102(A3)REV01
1MNYN691003-102(A3)REV01	1MNYN691003-102(A3)REV01	1MNYN691003-102(A3)REV01	1MNYN691003-102(A3)REV01

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations nor his responsibility of the design and his responsibility of the design. The approval is given on the basis of the information provided by the contractor and does not constitute a warranty or guarantee of the design. The contractor shall be responsible for the design and its consequences. The approval is given on the basis of the information provided by the contractor and does not constitute a warranty or guarantee of the design. The contractor shall be responsible for the design and its consequences.

Checked By	Checked By	Checked By	Checked By	Checked By	Checked By
AM (P&D)	DM (P&D)	ACM (P&D)	DGM (P&D)	GM (P&D)	Approved By
✓	✓	✓	✓	✓	✓



Rev.	Revision note	Date	Name
01	AS PER CUSTOMER COMMENTS	10.10.2025	PK
02	AS PER CUSTOMER COMMENTS	19.11.2025	PK

-1BBX04	Used: 6 (20%)Spare: 2 Total: 8
-DX01	Used: 9 (20%)Spare: 2 Total: 11
-X14	Used: 81 (20%)Spare: 17 Total: 98
-PLCCX04	Used: 13 (20%)Spare: 3 Total: 16
-BX01	Used: 11 (20%)Spare: 3 Total: 14
-X11	Used: 4 (20%)Spare: 1 Total: 5

-X12	Used: 41 (20%)Spare: 9 Total: 50
-BBX04	Used: 14 (20%)Spare: 3 Total: 17
-X08	Used: 3 (20%)Spare: 1 Total: 4
-X01.3	Used: 9 (20%)Spare: 2 Total: 11
-X04	Used: 48 (20%)Spare: 10 Total: 58



Project	ASSAM ELECTRICITY GRID CORPORATION LTD
Approved	14.08.2025
Prepared	14.08.2025

Doc. no.	1KHF128840R1113
Doc. kind.	Circuit diagram
Doc. depl.	PG-GAS
Doc. rev.	02
Doc. lang.	en
Doc. sheet	403

APPROVED, subject to the condition that the approval conveyed herein neither relieves the contractor of his contractual obligations and his responsibility of the performance particulars and conformity of the supplies with the Indian Statutory laws / IEC specifications as may be applicable, nor does limit the AEGCL's right under the contract.

Checked By	Checked By	Checked By	Checked By	Checked By
AGM (P&D)	DM (P&D)	AGM (P&D)	DCM (P&D)	GM (P&D)
Approved By	Approved By	Approved By	Approved By	Approved By

