

PRICE BID					
Repairing and construction of switchyard drainage system at 132 kV Srikona GSS.					
Sl. No.	Description of Item	Qty	Unit	Rate to be Quoted (Rs.)	Amount (Rs.)
1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering- All work up to plinth level. 4.1.2 1:1%:3 (1 Cement: 1% coarse sand (zone-1) derived from natural sources:3 graded stone aggregate 20 mm nominal size derived from natural sources	7.88	cum		
2	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m In width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in charge. 2.6.1. All kinds of soil	63.00	cum		
3	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	21.66	cum		
4	Steel reinforcement for R.c.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level, Thermo-Mechanically Treated bars of grade Fe-500D or more.	2496.864	kg		
5	Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings, bases of columns, etc. for mass concrete	420.00	sqm.		
Net Amount:(A)				=	
Add CGST @ 9% on (A):(B)				=	
Add SGST @ 9% on (A):(C)				=	
Total Amount:(A)+(B)+(C)				=	
In Words: Rupees					